



Farécla | SURFACE FINISHING SPECIALISTS

PROFILE

PRODUCT CATALOGUE



NUMBERING SYSTEM

The Profile range is a carefully crafted selection of compounds, polishes and waxes which are used to permanently improve the condition of a number of hard to soft coatings used in industrial markets.

The numbers seen on the products are an indication of the coarseness of the abrasive compounds and polishes in the Profile range. The lower the number the coarser the product.



100 EXTRA HEAVY CUT PASTE COMPOUND.

100

COARSE						FINE
100	200	300	400	500	600	700

Aggressive compounding paste for tough resins and gelcoats. Leaves a low gloss finish. Ideal for plugs and moulds.

100 g	PRE124 (780727 60431)
3 kg / 105.8 oz.	PRE306 (780727 63866)



200 SELECT COARSE CUT LIQUID COMPOUND.

200

COARSE						FINE
100	200	300	400	500	600	700

Eliminates sanding marks and heavy defects from production and tooling gelcoat surfaces. Can be a one-step product on white gelcoats.

100 ml	PRS124 (780727 60450)
1 L / 34 fl. oz.	PRS101 (780727 00168)
1 US gallon	PRS106 (780727 00169)
5 US gallons	PRS506 (780727 29473)



350 PREMIUM LIQUID GRP FAST MEDIUM CUT LIQUID COMPOUND.

350

COARSE						FINE
100	200	300	400	500	600	700

Rapidly eliminates P1200 scratches from GRP. Very effective on dark GRP surfaces. Can also be used on painted surfaces.

1 L / 34 fl. oz.	PRL112 (780727 63911)
1 US gallon	PRL118 (780727 64005)



400 ADVANCED PLUS FAST MEDIUM CUT LIQUID COMPOUND.

400

COARSE						FINE
100	200	300	400	500	600	700

Rapidly eliminates P1500 sanding marks and defects from paint, lacquer, acrylic, plexiglass and gelcoat surfaces, leaving a high gloss.

100 ml	PRA124 (780727 60430)
1 L / 34 fl. oz.	PRA101 (780727 15147)
1 US gallon	PRA118 (780727 15148)
5 US gallons	PRA518 (780727 29474)



700 FINISH LIGHT CUT POLISH AND SWIRL REMOVER.

700

COARSE						FINE
100	200	300	400	500	600	700


Eliminates minor defects and swirls from paint, lacquer and gelcoat surfaces, leaving a mirror shine finish.

100 ml	PRF124 (780727 60447)
1 L / 34 fl. oz.	PRF112 (780727 63898)



PROFILE 100 EXTRA HEAVY CUT PASTE COMPOUND.

Aggressive compounding paste for tough resins and gelcoats. Leaves a low gloss finish. Ideal for plugs and moulds.



If needed, before polishing, sand up to:
P400 or finer (Polyester resin or gelcoat)
P600 or finer (Vinylester resin or gelcoat)
P600 or finer (Epoxy resin or gelcoat)

100 g	PRE124 (780727 60431)	24 tubes
3 kg / 105.8 oz	PRE306 (780727 63866)	4 pots



G Mop Twisted Wool Pad
 200 mm / 8" single sided
GMW811 (780727**00175**)
 200 mm / 8" double sided
GMW816 (780727**00174**)



When used with Profile 100 Extra



For a better gloss on tough resins and gelcoats follow with:

Profile 200 Select
 100 ml **PRS124** (780727**60450**)
 1 L **PRS101** (780727**00168**)
 1 US gallon **PRS106** (780727**00169**)
 5 US gallons **PRS506** (780727**29473**)



For an even finer finish, to remove swirls, holograms and further improve gloss levels follow Profile 200 Select with:


Profile 700 Finish
 100 ml **PRF124** (780727**60447**)
 1 L **PRF112** (780727**63898**)



PROFILE 200 SELECT COARSE CUT LIQUID COMPOUND.


Eliminates sanding marks and heavy defects from production and tooling gelcoat surfaces. Can be a one-step product on white gelcoats.

Use minimal pressure, let the machine do the work.



If needed, before polishing, sand up to:
P800 or finer (Polyester resin or gelcoat)
P1000 or finer (Vinylester resin or gelcoat)
P1000 or finer (Epoxy resin or gelcoat)


100 ml	PRS124 (780727 60450)	24 tubes
1 L / 34 fl. oz.	PRS101 (780727 00168)	6 bottles
1 US gallon	PRS106 (780727 00169)	2 bottles
5 US gallons	PRS506 (780727 29473)	1 bottle



G Mop Twisted Wool Pad
 200 mm / 8" single sided
GMW811 (780727**00175**)
 200 mm / 8" double sided
GMW816 (780727**00174**)



When used with Profile 200 Select



G Mop Lambs Wool Pad
 75 mm / 3" **GML301** (780727**00157**)
 150 mm / 6" **GML601** (780727**00158**)
 200 mm / 8" **GML801** (780727**00176**)



When used with Profile 200 Select




For a finer finish, to remove swirls, holograms and improve gloss levels:
Profile 700 Finish
 100 ml **PRF124** (780727**60447**)
 1 L **PRF112** (780727**63898**)



PROFILE

350 PREMIUM LIQUID GRP FAST MEDIUM CUT LIQUID COMPOUND.

Rapidly eliminates P1200 scratches from GRP. Very effective on dark GRP surfaces to restore colour. Can also be used on painted surfaces.



If needed, before polishing, sand up to:

- P1200 or finer** (Paint or lacquer)
- P1500 or finer** (Aerospace paint or lacquer)
- P1000 or finer** (Polyester resin or gelcoat)
- P1000 or finer** (Vinylester resin or gelcoat)
- P1500 or finer** (Epoxy resin or gelcoat)

1 L / 34 fl. oz.	PRL112 (780727 63911)	6 bottles
1 US gallon	PRL118 (780727 64005)	2 bottles




G Mop Twisted Wool Pad

200 mm / 8" single sided
GMW811 (780727**00175**)
 200 mm / 8" double sided
GMW816 (780727**00174**)

▲ CUT	80
☀️ GLOSS	65

When used with Profile 350 Premium Liquid




G Mop Lambs Wool Pad

75 mm / 3" **GML301** (780727**00157**)
 150 mm / 6" **GML601** (780727**00158**)
 200 mm / 8" **GML801** (780727**00176**)

▲ CUT	65
☀️ GLOSS	70

When used with Profile 350 Premium Liquid



G Mop Yellow Compounding Foam

75 mm / 3" **GMC312** (780727**00149**)
 150 mm / 6" **GMC624** (780727**00152**)
 200 mm / 8" **GMC812** (780727**08718**)

▲ CUT	60
☀️ GLOSS	75


When used with Profile 350 Premium Liquid



PROFILE

400 ADVANCED PLUS FAST MEDIUM CUT LIQUID COMPOUND.


Rapidly eliminates P1500 sanding marks and defects from paint, lacquer, acrylic, plexiglass and gelcoat surfaces, leaving a high gloss.



If needed, before polishing, sand up to:

- P1200 or finer** (Paint or lacquer)
- P1500 or finer** (Aerospace paint or lacquer)
- P1000 or finer** (Polyester resin or gelcoat)
- P1000 or finer** (Vinylester resin or gelcoat)
- P1500 or finer** (Epoxy resin or gelcoat)

100 ml	PRA124 (780727 60430)	24 tubes
1 L / 34 fl. oz.	PRA101 (780727 15147)	6 bottles
1 US gallon	PRA118 (780727 15148)	2 bottles
5 US gallons	PRA518 (780727 29474)	1 bottle




G Mop Twisted Wool Pad

200 mm / 8" single sided
GMW811 (780727**00175**)
 200 mm / 8" double sided
GMW816 (780727**00174**)

▲ CUT	85
☀️ GLOSS	70

When used with Profile 400 Advanced Plus




G Mop Lambs Wool Pad

75 mm / 3" **GML301** (780727**00157**)
 150 mm / 6" **GML601** (780727**00158**)
 200 mm / 8" **GML801** (780727**00176**)

▲ CUT	70
☀️ GLOSS	75

When used with Profile 400 Advanced Plus



G Mop Yellow Compounding Foam

75 mm / 3" **GMC312** (780727**00149**)
 150 mm / 6" **GMC624** (780727**00152**)
 200 mm / 8" **GMC812** (780727**08718**)

▲ CUT	65
☀️ GLOSS	80

When used with Profile 400 Advanced Plus



PROFILE 700 FINISH LIGHT CUT POLISH AND SWIRL REMOVER.

Eliminates minor defects and swirls from paint, lacquer and gelcoat surfaces, leaving a mirror shine finish. Very easy to wipe off.



For swirl removal and a high gloss finish, use on its own or in a 2 step process after:

Profile 200 Select (Polyester, Vinylester and Epoxy resin or gelcoat)

Profile 400 Advanced Plus (Paint, lacquer and Epoxy resin or gelcoat)

100 ml
1 L / 34 fl. oz.

PRF124 (780727**60447**)
PRF112 (780727**63898**)

24 tubes
6 bottles



G Mop Black Finishing Foam

75 mm / 3" **GMF301** (780727**00154**)

150 mm / 6" **GMF624** (780727**00156**)

200 mm / 8" **GMF801** (780727**00177**)

800 - 1100rpm



When used with Profile 700 Finish



G Mop Lambs Wool Pad

75 mm / 3" **GML301** (780727**00157**)

150 mm / 6" **GML601** (780727**00158**)

200 mm / 8" **GML801** (780727**00176**)

800 - 1100rpm



When used with Profile 700 Finish



For a super high gloss and added protection:

Profile UV Wax

PRU101 (780727**00170**)

Profile Polymer UV Wax

PRW101 (780727**00171**)



PROFILE UV WAX HAND APPLICATION.

Thick wax containing UV inhibitors. Provides up to 3 months protection and gloss on paint, lacquer and gelcoat surfaces.



G Plus Finishing Cloth

3 cloths **FC-3** (780727**00136**)

100 cloths **FC-100** (780727**09136**)

Loose cloths (US & Canada) **27025**



When used with Profile UV Wax

Profile UV Wax 1 L / 34 fl. oz.

Profile Polymer UV Wax 1 L / 34 fl. oz.



PROFILE POLYMER UV WAX MACHINE APPLICATION.

Easily applied wax containing UV inhibitors. Provides up to 3 months protection and gloss on paint, lacquer and gelcoat surfaces.



G Mop Black Finishing Foam

75 mm / 3" **GMF301** (780727**00154**)

150 mm / 6" **GMF624** (780727**00156**)

200 mm / 8" **GMF801** (780727**00177**)

1000 - 1500rpm



When used with Profile Polymer UV Wax

PRU101 (780727**00170**)

PRW101 (780727**00171**)

6 bottles

6 bottles



G Mop Twisted Wool Pad

- 100% pure, 4 ply, twisted wool
- Twisted wool gives a high cut



G Mop Lambs Wool Pad

- For dry use compounds
- Good cut, finer finish than Twisted Wool Pads leaving fewer swirl marks



G Mop Yellow Compounding Foam

- Excellent cut and gloss
- Can be used with wet or dry use compounds
- **GMC624** - Superb handling and flexibility, glides easily over surface contours



G Mop Black Finishing Foam

- Soft, open cell structure
- Light cut, high gloss finish
- **GMF624** - Superb handling and flexibility, glides easily over surface contours

- G Mop Twisted Wool Compounding Pad** (200 mm / 8" - single sided)
- G Mop Twisted Wool Compounding Pad** (200 mm / 8" - double sided)
- G Mop Lambs Wool Pads** (75 mm / 3")
- G Mop Lambs Wool Pads** (150 mm / 6")
- G Mop Lambs Wool Pad** (200 mm / 8")
- G Mop Yellow Compounding Foams** (75 mm / 3")
- G Mop Yellow Compounding Foams** (150 mm / 6" - flexible)
- G Mop Yellow Compounding Foam** (200 mm / 8")
- G Mop Black Finishing Foams** (75 mm / 3")
- G Mop Black Finishing Foams** (150 mm / 6" - flexible)
- G Mop Black Finishing Foam** (200 mm / 8")

- GMW811** (780727**00175**) 1 pack x 12
- GMW816** (780727**00174**) 1 pack x 12
- GML301** (780727**00157**) 5 pack x 6
- GML601** (780727**00158**) 1 pack x 12
- GML801** (780727**00176**) 1 pack x 12
- GMC312** (780727**00149**) 5 pack x 6
- GMC624** (780727**00152**) 2 pack x 12
- GMC812** (780727**08718**) 1 pack x 12
- GMF301** (780727**00154**) 5 pack x 6
- GMF624** (780727**00156**) 2 pack x 12
- GMF801** (780727**00177**) 1 pack x 12



G Mop Bolt Adaptor

- Use to attach double sided pads to the G Plus Electric Rotary Polishing machine
- Screw fit design



G Mop Flexible Back Plates

- Use to attach single sided / 'hook & loop' pads to the G Plus Electric Rotary Polishing machine
- Flexible for difficult areas
- Optimises the performance of the G Mop Lambs Wool Pads and flexible pads

- G Mop Bolt Adaptor** (14 mm thread)
- G Mop Bolt Adaptor** (5/8" thread)
- G Mop Bolt Adaptor** (16 mm thread)
- G Mop Flexible Back Plate for 150 mm / 6" Pads** (14 mm thread)
- G Mop Flexible Back Plate for 150 mm / 6" Pads** (5/8" thread)
- G Mop Flexible Back Plate for 150 mm / 6" Pads** (16 mm thread)
- G Mop Flexible Back Plate for 200 mm / 8" Pads** (14 mm thread)
- G Mop Flexible Back Plate for 200 mm / 8" Pads** (5/8" thread)
- G Mop Flexible Back Plate for 200 mm / 8" Pads** (16 mm thread)

- GMA014** (780727**00181**) 1 adaptor
- GMA058** (780727**09110**) 1 adaptor
- GMA016** (780727**45655**) 1 adaptor
- GMB146** (780727**00148**) 1 plate
- GMB586** (780727**15924**) 1 plate
- GMB166** (780727**15925**) 1 plate
- GMB814** (780727**09129**) 1 plate
- GMB858** (780727**08721**) 1 plate
- GMB816** (780727**24089**) 1 plate



G-PLUS ELECTRIC ROTARY POLISHING MACHINE

- Lightweight yet powerful
- Very wide speed range
- Low vibration
- Long power cord
- M14 spindle
- Use with any 150 mm / 6" and 200 mm / 8" G Mop applicators



G Mop Flexible Back Plate
for 6" / 150mm pads
(14mm thread)
GMB146 (78072700148)



LIGHTWEIGHT
(2.2kg)




SPEED RANGE
700 - 2500rpm



220 - 240V~
(50/60Hz)



**POWERFUL /
HIGH TORQUE**



ROTARY



5M POWER CORD
(UK or EU PLUG)

- | | | |
|---|-----------------------------|------------|
| G Plus ER Polishing Machine (UK - 5 m, plug type G) | GPT003 | 1 machine |
| G Plus ER Polishing Machine (EU - 5 m, plug type C) | GPT002 (78072700159) | 1 machine |
| G Plus Replacement Cable (UK - 5 m, plug type G) | GPT112 | 1 cable |
| G Plus Replacement Cable (EU - 5 m, plug type C) | GPT106 (78072709182) | 1 cable |
| G Plus Spare Carbon Brushes (for UK and EU machines) | GPT101 (78072709178) | 2 pack x 1 |

AC DELCO MINI POLISHER

The 75 mm cordless Mini Polisher is a versatile lightweight machine ideal for SMART repair jobs. The optional side handle has two possible positions for ease of use and the tool comes complete with charger, spare battery, carry case, wool and foam compounding pads, two velcro backing pads and grit sandpapers.

- Ideal for polishing small areas
- Long battery life
- Lithium-Ion batteries
- Supplied with spare carbon brushes



Mini Polisher	FG-MINIPOL-ADV (78072700137)	1 machine
Spare 3" Back Plate (M6 attachment)	AM1645	1 plate
Spare battery	MBA006 (78072709180)	1 battery
Spare charger	MCU006	1 charger



G Mop 75 mm / 3"
Lambs Wool Pad

- For dry use compounds
 - Good cut, finer finish than Twisted Wool
- GML301** (78072700157)



G Mop 75 mm / 3"
High Cut Foam

- High cut and rapid, superb gloss
- Open cell structure for 'dry use'
- Excellent durability

GMC309 (78072700180)



G Mop 75 mm / 3"
**Yellow Compounding
Foam**

- Excellent cut and gloss
- Can be used wet or dry


GMC312 (78072700149)



G Mop 75 mm / 3"
Black Finishing Foam

- Soft, open cell structure
- Light cut, high gloss finish

GMF301 (78072700154)



G Plus Finishing Cloths

- Low-lint, 400mm x 400mm microfibre cloth
- Edgeless to avoid scratching
- Can be machine washed up to 100 times
- Very high absorbency



ATTRACTS DUST AND DIRT



G Wipe Degreasing Wipes

- Ideal for cleaning before painting
- Non-snagging and low linting
- Ideal for use with waterborne degreasers
- Highly absorbent - holds up to 9 x its weight in water / solvents



G Wipe Polishing Wipes

- Ideal for removing glaze and polish
- Highly absorbent
- Solvent resistant
- Does not scratch surfaces

- G Plus Finishing Cloths** (3 cloths)
- G Plus Finishing Cloths** (100 cloths)
- G Wipe Degreasing Wipes**
- G Wipe Polishing Wipes**

- FC-3** (780727**00136**)
- FC-100** (780727**09136**)
- 1050200** (780727**10927**)
- 1050100** (780727**10926**)

- 1 box of 3 cloths
- 1 box of 100 cloths
- 1 box of 100 wipes
- 1 box of 100 wipes



G Plus Spurring Brush

- For quick and easy cleaning of pads when spun on a polishing machine
- Avoids residue, dried compound and other contaminants impairing your next job
- Unclogs foam cells to ensure no drop in cut or gloss



- G Plus Spurring Brush**
- G Plus Autopen** (5 mm nib, yellow pen)
- G Plus Spray Bottle** (600 ml)



G Plus Autopen

- Ideal for job identification
- Non staining pen for bodywork and glass
- Does not wash off in the rain, but does wipe off with a damp cloth



G Plus Spray Bottle

- Gives an even dispersal
- Ensures a supply of clean water to minimise contamination
- Can be used with all sprayable liquids

- 1090005** (780727**00135**)
- AP-5YW** (780727**09135**)
- WSB** (780727**00142**)

- 20 brushes
- 1 box of 24 pens
- 25 bottles

Farécla A SAINT-GOBAIN BRAND

Farécla Products Ltd, Broadmeads,
Ware, Hertfordshire, SG12 9HS, UK.
enquiries@farecla.com
+44 (0)1920 465 041

www.farecla.com



fareclaproductsltd

